

ALLTRAIL 10.5 ABS

HIGHLIGHT



GLOSSY



SPARKLING BLACK

NEW



NINJA GOLD

NEW



GALVANIZE GREY



AL	29" 27.5"	140/140	BOSCH PERF. CX	800	RANGE EXTENDER	150
FRAME MATERIAL	WHEEL SIZE	TRAVEL (mm) FRONT/REAR	DRIVE UNIT	BATTERY CAPACITY (WH)	Bosch OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h
Akku / Battery	Bosch PowerTube 800Wh
Ladegerät / Charger	Bosch Standard Charger 4Ah
Rahmen / Frame	aluminium, disc brake Post Mount
Gabel / Fork	FOX 34 Float AWL, air, aluminum shaft 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select, air
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1210 11-50T
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	aluminium, Sram T-Type, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura CT eSTOP ABS, aluminium
Bremse vorne / Brake front	Magura CT eSTOP ABS, aluminium
Bremse hinten / Brake rear	Magura CT eSTOP ABS, aluminium
Reifen vorne / Tyres front	Continental Xynotal Trail Endurance, 60-622 27.5": Continental Xynotal Trail Endurance, 60-584

Reifen hinten / Tyres rear	Continental Xynotal Trail Endurance, 60-622 27.5": Continental Xynotal Trail Endurance, 60-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ through axle 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race
Lenker / Handlebar	Haibike Components TheBar +++ 780 mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	Haibike Components TheStem +++
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	dropper-post remote, aluminium
Pedale / Pedals	freeride pedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 10.5 ABS 29

Modellcode / Model Code HLLT1

M	45312540	black / ninja gold / grey - glossy
L	45312550	black / ninja gold / grey - glossy
XL	45312560	black / ninja gold / grey - glossy

ALLTRAIL 10.5 ABS 27.5

Modellcode / Model Code HLLT2

S	45214530	black / ninja gold / grey - glossy
---	----------	------------------------------------

ALLTRAIL 10.5 LOW ABS

HIGHLIGHT



GLOSSY



SPARKLING BLACK

NEW
NEW



NINJA GOLD



GALVANIZE GREY



AL	27.5"	140/130	BOSCH PERF. CX	800	RANGE EXTENDER	150
FRAME MATERIAL	WHEEL SIZE	TRAVEL (mm) FRONT/REAR	DRIVE UNIT	BATTERY CAPACITY (WH)	Bosch OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Continental Xynotal Trail Endurance, 60-584
Akku / Battery	Bosch PowerTube 800Wh	Reifen hinten / Tyres rear	Continental Xynotal Trail Endurance, 60-584
Ladegerät / Charger	Bosch Standard Charger 4Ah	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Rahmen / Frame	aluminium, disc brake Post Mount	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Gabel / Fork	FOX 34 Float AWL, air, aluminum shaft 1 1/8" - 1 1/2" tapered, thru-axle Boost	Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ through axle 15x110mm
Dämpfer / Damper	RockShox Deluxe Select, air	Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed	Speichen / Spokes	Sapim Race
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Lenker / Handlebar	Haibike Components TheBar +++ 780 mm
Zahnkranz (hinten) / Sprocket	Sram PG1210 11-50T	Griffe / Grips	XLC MTB grips
Kette / Chain	Sram SX Eagle	Vorbau / Stem	Haibike Components TheStem +++
Kettenblatt / Chainring	aluminium, Sram T-Type, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	dropper-post remote, aluminium
Bremshebel / Brake lever	Magura CT eSTOP ABS, aluminium	Pedale / Pedals	freeride pedal aluminium, mit Reflektor
Bremse vorne / Brake front	Magura CT eSTOP ABS, aluminium	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse hinten / Brake rear	Magura CT eSTOP ABS, aluminium	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 10.5 LOW ABS 27.5

Modellcode / Model Code HLET7

S	45212530	black / ninja gold / grey - glossy
M	45212540	black / ninja gold / grey - glossy
L	45212550	black / ninja gold / grey - glossy

ALLTRAIL 10 / C1



GLOSSY



SPARKLING BLACK

NEW
NEW



NINJA GOLD



GALVANIZE GREY



AL	29" 27.5"	140/140	BOSCH PERF. CX	800	RANGE EXTENDER	150
FRAME MATERIAL	WHEEL SIZE	TRAVEL (mm) FRONT/REAR	DRIVE UNIT	BATTERY CAPACITY (WH)	Bosch OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h
Display	Bosch Kiox 300 + LED Remote
Akku / Battery	Bosch PowerTube 800Wh
Ladegerät / Charger	Bosch Standard Charger 4Ah
Rahmen / Frame	aluminium, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, aluminum shaft 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select, air
Schalthebel / Rear derailleur	Sram SX Eagle 12-S, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1210 11-50T
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	aluminium, Sram T-Type, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203 mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203 mm

Reifen vorne / Tyres front	Continental Xynotal Trail Endurance, 60-622 27.5": Continental Xynotal Trail Endurance, 60-584
Reifen hinten / Tyres rear	Continental Xynotal Trail Endurance, 60-622 27.5": Continental Xynotal Trail Endurance, 60-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Vorderradnabe / Front wheel hub	aluminum hub
Hinterradnabe / Rear wheel hub	aluminum hub
Speichen / Spokes	Sapim Race
Lenker / Handlebar	Haibike Components TheBar +++ 780 mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	Haibike Components TheStem +++
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	dropper-post remote, aluminium
Pedale / Pedals	freeride pedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 10 29

Modellcode / Model Code HLET2

M	45308540	black / ninja gold / grey - glossy
L	45308550	black / ninja gold / grey - glossy
XL	45308560	black / ninja gold / grey - glossy

ALLTRAIL 10 27.5

Modellcode / Model Code HLET1

S	45204530	black / ninja gold / grey - glossy
---	----------	------------------------------------

ALLTRAIL 10 / C2



GLOSSY

NEW



LASER BLUE

NEW



METALLIC SLATE BLUE

NEW



NINJA BLUE



BLACK INK



AL	29" 27.5"	140/140	BOSCH PERF. CX	800	RANGE EXTENDER	150
FRAME MATERIAL	WHEEL SIZE	TRAVEL (mm) FRONT/REAR	DRIVE UNIT	BATTERY CAPACITY (WH)	Bosch OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h
Display	Bosch Kiox 300 + LED Remote
Akku / Battery	Bosch PowerTube 800Wh
Ladegerät / Charger	Bosch Standard Charger 4Ah
Rahmen / Frame	aluminium, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, aluminum shaft 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select, air
Schalthebel / Rear derailleur	Sram SX Eagle 12-S, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1210 11-50T
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	aluminium, Sram T-Type, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203 mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203 mm

Reifen vorne / Tyres front	Continental Xynotal Trail Endurance, 60-622 27.5": Continental Xynotal Trail Endurance, 60-584
Reifen hinten / Tyres rear	Continental Xynotal Trail Endurance, 60-622 27.5": Continental Xynotal Trail Endurance, 60-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Vorderradnabe / Front wheel hub	aluminum hub
Hinterradnabe / Rear wheel hub	aluminum hub
Speichen / Spokes	Sapim Race
Lenker / Handlebar	Haibike Components TheBar +++ 780 mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	Haibike Components TheStem +++
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	dropper-post remote, aluminium
Pedale / Pedals	freeride pedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 10 29

Modellcode / Model Code HLET3

M	45310540	slate blue / blue / black - glossy
L	45310550	slate blue / blue / black - glossy
XL	45310560	slate blue / blue / black - glossy

ALLTRAIL 10 27.5

Modellcode / Model Code HLET4

S	45206530	slate blue / blue / black - glossy
---	----------	------------------------------------

ALLTRAIL 8



GLOSSY

NEW
NEW
NEW



SKY WHITE



NINJA BLUE



NINJA GOLD



AL	29" 27.5"	140/140	BOSCH PERF. CX	600	RANGE EXTENDER	150
FRAME MATERIAL	WHEEL SIZE	TRAVEL (mm) FRONT/REAR	DRIVE UNIT	BATTERY CAPACITY (WH)	Bosch OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Continental Kryptotal R Trail Endurance, 65-622 27.5"; Continental Xynotal Trail Endurance, 60-584
Akku / Battery	Bosch PowerTube 600Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Bosch Standard Charger 4Ah	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Rahmen / Frame	aluminium, disc brake Post Mount	Vorderradnabe / Front wheel hub	aluminum hub
Gabel / Fork	RockShox 35 Silver, air, aluminum shaft 1 1/8" - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	aluminum hub
Dämpfer / Damper	RockShox Deluxe Select, air	Speichen / Spokes	Sapim Race
Schaltwerk / Rear derailleur	Shimano Cues U6000, 11-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780 mm
Schalthebel / Shift lever	Shimano Cues U6000, rapidfire	Griffe / Grips	XLC MTB grips
Zahnkranz (hinten) / Sprocket	Shimano Cues LG400, 11-50 teeth	Vorbau / Stem	Haibike Components TheStem, A-head, Bar bore: 31.8mm, 7°
Kette / Chain	Shimano Cues LG500	Sattel / Saddle	Selle Royal Vivo
Kettenblatt / Chainring	aluminium, Haibike Components, 36	Sattelstütze / Seat post	dropper-post remote, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	freeride pedal aluminium, mit Reflektor
Bremshebel / Brake lever	TRP Slate T4, aluminium	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203 mm	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203 mm		
Reifen vorne / Tyres front	Continental Kryptotal R Trail Endurance, 65-622 27.5"; Continental Xynotal Trail Endurance, 60-584		

ALLTRAIL 8 29

Modellcode / Model Code HLDT2

M	45306540	white / blue / gold - glossy
L	45306550	white / blue / gold - glossy
XL	45306560	white / blue / gold - glossy

ALLTRAIL 8 27.5

Modellcode / Model Code HLDT1

S	45200530	white / blue / gold - glossy
---	----------	------------------------------

ALLTRAIL 8 LOW



GLOSSY

NEW
NEW
NEW



SKY WHITE



NINJA BLUE



NINJA GOLD



AL	27.5"	140/130	BOSCH PERF. CX	600	RANGE EXTENDER	150
FRAME MATERIAL	WHEEL SIZE	TRAVEL (mm) FRONT/REAR	DRIVE UNIT	BATTERY CAPACITY (WH)	Bosch OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Continental Xynotal Trail Endurance, 60-584
Akku / Battery	Bosch PowerTube 600Wh	Reifen hinten / Tyres rear	Continental Xynotal Trail Endurance, 60-584
Ladegerät / Charger	Bosch Standard Charger 4Ah	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Rahmen / Frame	aluminium, disc brake Post Mount	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Gabel / Fork	RockShox 35 Silver, air, aluminum shaft 1 1/8" - 1 1/2" tapered, thru-axle Boost	Vorderradnabe / Front wheel hub	aluminum hub
Dämpfer / Damper	RockShox Deluxe Select, air	Hinterradnabe / Rear wheel hub	aluminum hub
Schaltwerk / Rear derailleur	Shimano Cues U6000, 11-speed	Speichen / Spokes	Sapim Race
Schalthebel / Shift lever	Shimano Cues U6000, rapidfire	Lenker / Handlebar	Haibike Components TheBar ++ 780 mm
Zahnkranz (hinten) / Sprocket	Shimano Cues LG400, 11-50 teeth	Griffe / Grips	XLC MTB grips
Kette / Chain	Shimano Cues LG500	Vorbau / Stem	aluminum, A-head
Kettenblatt / Chainring	aluminium, Haibike Components, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	dropper-post remote, aluminium
Bremshebel / Brake lever	TRP Slate T4, aluminium	Pedale / Pedals	freeride pedal aluminium, mit Reflektor
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203 mm	Zul. Gesamtgewicht / Permitted total weight	150kg
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203 mm	Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ALLTRAIL 8 LOW 27.5

Modellcode / Model Code HLDT3

S	45202530	white / blue / gold - glossy
M	45202540	white / blue / gold - glossy
L	45202550	white / blue / gold - glossy